

EXHAUST CATALOG



ROAD CHOICE



We are committed to keeping
trucks on the road and moving
forward by providing quality parts
to all who repair heavy-duty vehicles.

CONFIDENCE.
COVERAGE.
COMMITMENT.

TABLE OF CONTENTS

CONNECTORS 4

ELBOWS6

CLAMPS 9

RAIN CAPS 12

GUARDS 13

HANGERS14

PIPES 15

TUBING18

MUFFLERS19


CROSS-REFERENCE 20



Parts that keep you moving.
Quality that keeps you coming back.

CONNECTORS


FLARED ADAPTORS O.D. x O.D.



- 16 GA. ALUMINIZED STEEL

A FLARE	B	C O.D.	L	APPLICATION	PART NUMBER
45°	5.50"	5.00"	5.00"	Cummins	XC505

CONNECTOR TUBES I.D. x O.D.




- 16 GA. ALUMINIZED STEEL

A I.D.	B O.D.	L	PART NUMBER
5.00"	5.00"	5.00"	XCE500

CONNECTORS


CONNECTOR TUBES I.D. x I.D.



- 16 GA. ALUMINIZED STEEL

A I.D.	L	PART NUMBER
4.00"	6.00"	XCO400
5.00"	6.00"	XCO500

CONNECTOR REDUCERS I.D. x O.D.




- 16 GA. ALUMINIZED STEEL

A I.D.	B O.D.	L	PART NUMBER
4.00"	5.00"	6.00"	XR540

ELBOWS


ELBOW - 45° O.D. x O.D.



- 16 GA. ALUMINIZED STEEL

A O.D.	B O.D.	C	D	R	PART NUMBER
4.00"	4.00"	6.00"	3.52"	6.00"	XL40045SR

ELBOW - 45° I.D. x O.D.




- 16 GA. ALUMINIZED STEEL
- 16 GA. CHROME PLATED

STANDARD

A O.D.	B O.D.	C	D	R	CHROME PART NUMBER	ALUMINIZED PART NUMBER
4.00"	4.00"	6.00"	3.51"	6.00"		XL40045F
4.00"	4.00"	9.25"	6.76"	6.00"	XL40045C	XL40045
5.00"	5.00"	7.00"	3.69"	8.00"		XL50045F
5.00"	5.00"	12.00"	8.69"	8.00"	XL50045C	XL50045

ELBOWS

ELBOW - 90° O.D. x O.D.




- 16 GA. ALUMINIZED STEEL
- 16 GA. CHROME PLATED

A O.D.	B O.D.	C	D	R	CHROME PART NUMBER	ALUMINIZED PART NUMBER
4.00"	4.00"	6.50"	6.50"	4.63"		XL400SB
4.00"	4.00"	8.00"	8.00"	4.63"		XL400SR
4.00"	4.00"	12.00"	12.00"	4.63"		XL400FNE
4.00"	4.00"	18.00"	18.00"	8.00"	XL400NEC	XL400NE
5.00"	5.00"	10.00"	10.00"	6.00"		XL500SR
5.00"	5.00"	12.00"	12.00"	6.00"	XL512NEC	XL512NE

ELBOWS

ELBOW - 90° I.D. x O.D.



- 16 GA. ALUMINIZED STEEL
- 16 GA. CHROME PLATED


STANDARD

A O.D.	B O.D.	C	D	R	CHROME PART NUMBER	ALUMINIZED PART NUMBER
3.50"	3.50"	12.00"	12.00"	5.00"		XL350F
4.00"	4.00"	8.00"	8.00"	4.63"		XL488
4.00"	4.00"	12.00"	12.00"	4.63"	XL400FC	XL400F
4.00"	4.00"	18.00"	18.00"	8.00"		XL400
5.00"	5.00"	10.00"	10.00"	6.00"		XL510
5.00"	5.00"	12.00"	12.00"	6.00"	XL512C	XL512
5.00"	5.00"	15.50"	15.50"	8.00"	XL500FC	XL500F
5.00"	5.00"	20.00"	20.00"	8.00"	XL500C	XL500

CLAMPS

CLAMP - EASYSEAL

EASYSEAL IS A TRADEMARK OF TORCA




- SEALS ALL I.D. TO O.D. CONNECTIONS
- PREATTACHED, PLATED HARDWARE FOR QUICK, SIMPLE, ACCURATE INSTALLATION
- BRIGHT FINISH, SATINLESS STEEL BAND
- MOUNTING HARDWARE INCLUDED

SIZE I.D.	BAND WIDTH	DESCRIPTION	INDIVIDUAL PART NUMBER
3.00"	3.00"	.017 Min. Stainless steel type UNS-S30408 bright annealed finish	XWC300
3.50"	3.00"	.017 Min. Stainless steel type UNS-S30408 bright annealed finish	XWC350
4.00"	3.00"	.017 Min. Stainless steel type UNS-S30408 bright annealed finish	XWC400
5.00"	3.00"	.017 Min. Stainless steel type UNS-S30408 bright annealed finish	XWC500
6.00"	3.00"	.017 Min. Stainless steel type UNS-S30408 bright annealed finish	XWC600

CLAMP - TORCTITE PREFORMED LAP JOINT

TORCTITE IS A TRADEMARK OF TORCA




- SEALS ALL I.D. TO O.D. EXHAUST CONNECTIONS
- PRE-ATTACHED, PLATED HARDWARE FOR QUICK, SIMPLE INSTALLATION
- BRUSHED SATINLESS STEEL OR ALUMINIZED STEEL

SIZE	BAND WIDTH	ALUMINIZED PART NUMBER	STAINLESS PART NUMBER
4.00"	3.00"	XLC400	XLC400SS
5.00"	3.00"	XLC500	XLC500SS

CLAMP - TORCTITE PREFORMED BUTT JOINT


TORCTITE IS A TRADEMARK OF TORCA



- SEALS ALL O.D. TO O.D. EXHAUST CONNECTIONS
- PRE-ATTACHED, PLATED HARDWARE FOR QUICK, SIMPLE INSTALLATION
- BRUSHED SATINLESS STEEL OR ALUMINIZED STEEL

SIZE	BAND WIDTH	ALUMINIZED PART NUMBER	STAINLESS PART NUMBER
4.00"	3.00"	XBC400	XBC400SS

CLAMPS




CLAMP - AccuSeal

AccuSeal is a trademark of Torca

- SEALS ALL I.D. TO O.D. EXHAUST CONNECTIONS
- CREATES OVER 2 TONS OF CLAMPING STRENGTH
- PROVIDES A STRONG, SERVICEABLE CONNECTION
- PRE-ASSEMBLED WORLD-CLASS HARDWARE
- INSERT CLAMP AND TORQUE TO 40-60 FOOT POUNDS

SIZE	BAND WIDTH	ALUMINIZED PART NUMBER	STAINLESS PART NUMBER
4.00"	1.00"	XAC400	XAC400SS
5.00"	1.00"	XAC500	XAC500SS

CLAMP - GUILLOTINE, ROUND U-BOLT




- 360° SEAL
- 3/8" U-BOLT
- 11 GAUGE SADDLE
- SERRATED FLANGE LOCK NUTS

A DIAMETER	CHROME PART NUMBER	STANDARD PART NUMBER
2.50"		XGC250
3.00"		XGC300
3.50"		XGC350
4.00"		XGC400
5.00"	XGC500C	XGC500
6.00"	XGC600C	XGC600

CLAMPS


CLAMP - DOUBLE SADDLE WITH ROUND U-BOLT



- 3/8" U-BOLT
- II GAUGE SADDLE
- SERRATED FLANGE LOCK NUTS

A DIAMETER	CHROME PART NUMBER	STANDARD PART NUMBER
4.00"		XSC400
5.00"		XSC500


CLAMP - DOUBLE SADDLE WITH FLAT U-BOLT



- 3/8" U-BOLT
- II GAUGE SADDLE
- SERRATED FLANGE LOCK NUTS
- AVAILABLE IN CHROME AND STANDARD FINISH

A DIAMETER	CHROME PART NUMBER	STANDARD PART NUMBER
4.00"		XFC400
5.00"	XFC500C	XFC500


V - BAND CLAMPS



V-BAND CLAMPS APPLY A WEDGE PRINCIPAL TO FLANGED JOINTS. APPLICATION OF TORQUE TO THE CLAMP FASTENER CREATES BAND TENSION THAT IN TURN, CREATES A RADIAL FORCE. THIS RADIAL LOAD FORCES THE RETAINER WEDGE ONTO THE FLANGES, EFFECTIVELY HOLDING THEM TOGETHER. THE WEDGING OR AXIAL FORCE GENERATED IS CAPABLE OF RESTRAINING AN END LOAD, OR SEPARATING FORCE MADE UP OF COMPONENT FORCES GENERATED BY INTERNAL VESSEL PRESSURE, AXIAL TENSION, AND BENDING MOMENTS.

PIPE SIZE	A I.D.	B I.D.	C	D	APPLICATION	STAINLESS PART NUMBER
5.00"	5.32"	5.88"	.400"	40°	Cummins T-50 Turbochargers	XVC501


RAIN CAPS



A DIAMETER	POWDER COAT GRAY PART NUMBER
3.00"	XRC300
4.00"	XRC400
5.00"	XRC500
5.75"	XRC600

GUARDS


MUFFLER & PIPE GUARDS - 3/4 ROUND PATTERN



- MOUNTING RINGS ALSO AVAILABLE SEPARATELY

A DIAMETER	L	DESCRIPTION	STAINLESS PART NUMBER
8.00" - 10.50"	48.00"	Cage only, no mounting rings	MFG14SS

MOUNTING RING KITS - 3/4 GUARDS




- 14 GA. ALUMINIZED STEEL BAND
- (2) RING & HARDWARE PER KIT



SIZE DIAMETER	DESCRIPTION	ALUMINIZED PART NUMBER
5.00"	Use with MFG18SS guards	XMK1750
9.00"	Use with MFG14SS guards	XMK1790
10.00"	Use with MFG14SS guards	XMK1710

HANGERS


UNIVERSAL HANGERS



L	APPLICATION	STANDARD PART NUMBER
9.5"	Universal swivel hanger, use with u-type clamp	XH100

PIPES


SHORT TAILPIPES - O.D. INLET



A DIAMETER	L	R	CHROME PART NUMBER	ALUMINIZED PART NUMBER
4.00"	16.00"	8.00"	XPA400C	XPA400
5.00"	20.00"	11.00"	XPA500C	

PIPES


SQUARE STACK PIPES - I.D. INLET



A DIAMETER	L	ALUMINIZED PART NUMBER
3.50"	24.00"	XPS35024
4.00"	24.00"	XPS40024
5.00"	24.00"	XPS50024

PIPES

STANDARD TURN OUT STACK PIPES




- 16 GA. ALUMINIIZED STEEL
- 16 GA STEEL (CHROME PLATED)

A DIAMETER	L	R	CHROME PART NUMBER	ALUMINIZED PART NUMBER
4.00"	48.00"	8.00"		XPA40048
5.00"	24.00"	11.00"	XPA50024C	XPA50024
5.00"	36.00"	11.00"	XPA50036C	XPA50036
5.00"	48.00"	11.00"	XPA50048C	
5.00"	60.00"	11.00"	XPA50060C	XPA50060


TUBING

STRAIGHT TUBING O.D. - O.D.



A O.D.	B O.D.	10' ALUMINIZED PART NUMBER
4.00"	4.00"	XT400
5.00"	5.00"	XT500


MUFFLERS



STYLE 1 MUFFLERS (CENTER/CENTER)

Part Number	ID Inlet	ID Outlet	Shape	Body Length	Overall Length
MUF45944	4"	5"	9"	44.5"	51"
MUF551044**	5"	5"	10"	44.5"	51"

** Economy Muffler



STYLE 10 MUFFLERS (SIDE-IN/END-OUT)

Part Number	ID Inlet	ID Outlet	Shape	Body Length	Overall Length
MUF4S5944	4"	5"	9"	44"	47.5"

* Mack Vertical: Outlet Center, Inlet Offset = 3.56"

EXHAUST CROSS-REFERENCE

Nelson Part Number	Road Choice Part Number
86130M	MUF551044
86514M	MUF45944
86682M	MUF551044
86740M	MUF45944
86771M	MUF4S5944
89022A	XPS35024
89025A	XPS40024
89028A	XPS50024
89043A	XPA50024
89044A	XPA50036
89045A	XPA40048
89045C	XPA50048C
89046C	XPA50024C
89047C	XPA50036C
89049A	XPA50060
89049C	XPA50060C
89074A	XL40045
89074C	XL40045C
89075A	XL50045
89075C	XL50045C
89094A	XL400SR
89095A	XL400SB
89096A	XL500SR
89103A	XL350F
89105A	XL400F
89105C	XL400FC
89106A	XL400
89107A	XL500F
89107C	XL500FC
89108A	XL500
89108C	XL500C
89115A	XL400NE
89115C	XL400NEC
89116A	XL400FNE
89117A	XL512NE
89117C	XL512NEC
89155A	XPA400
89155C	XPA400C
89156A	XPA500
89156C	XPA500C
89162A	XCO400
89163A	XCO500
89167A	XCE500

Nelson Part Number	Road Choice Part Number
89173A	XR540
89430A	XRC300
89440A	XRC400
89450A	XRC500
89460A	XRC600
89503K	XVC501
89519K	XH100
89525K	XWC300
89526K	XWC350
89527K	XWC400
89528K	XWC500
89529K	XWC600
89543K	XGC250
89545K	XGC300
89547K	XGC350
89548K	XGC400
89549C	XGC500C
89549K	XGC500
89550C	XGC600C
89550K	XGC600
89558K	XFC400
89559K	XFC500
89569K	XFC500C
89606K	FLX40018G
89607K	FLX40024G
89608K	FLX40036G
89610K	FLX50024G
89611K	FLX50036G
89624K	FLX400X10SS
89625K	FLX500X10SS
89674K	XT400
89675K	XT500
89727K	FLX40018SS
89728K	FLX40024SS
89729K	FLX40036SS
89730K	FLX50012SS
89731K	FLX50018SS
89732K	FLX50024SS
89733K	FLX50036SS
89749C	MFG14SS
89763K	XMK1710
89766K	XMK1790
89771K	XMK1750

Nelson Part Number	Road Choice Part Number
89780A	XL40045F
89781A	XL50045F
89782A	XL40045SR
89784A	XL512
89784C	XL512C
89923A	XL488
89924A	XL510
89966K	XC505
900043K	XSC400
900044K	XSC500
90356A	XLC400
90358A	XLC500
90366A	XLC400SS
90368A	XLC500SS
90376A	XBC400
90386A	XBC400SS
90875A	XAC400
90877A	XAC500
90885A	XAC400SS
90887A	XAC500SS
90902K	FLX50012G
90902K	FLX50018G

EXHAUST CROSS-REFERENCE

Donaldson Part Number	Road Choice Part Number
J000202	XAC400
J000203	XAC500
J000214	XWC300
J000215	XWC350
J000216	XWC400
J000218	XWC500
J000219	XWC600
J008681	XL488
J009393	XC505
J009429	MFG14SS
J009478	XGC500C
J009547	XL512C
J009606	XLC400
J009607	XLC500
J009623	XLC400SS
J009624	XLC500SS
J024735	XPS35024
J024737	XPS40024
J024739	XPS50024
J024748	XPA50024
J024751	XPA50024C
J024754	FLX40018G
J024835	FLX40024G
J024836	FLX40024SS
J024837	FLX50024G
J024838	FLX50024SS
J034673	FLX40036SS
J034674	FLX50036SS
J034743	FLX40036G
J034744	FLX50036G
J109016	XL400NEC
J190003	XL510
J190019	XL512NEC
J190023	XL40045C
J190025	XL50045F
J190027	XL50045
J190028	XL50045C
J240007	FLX50012SS
M090781	MUF45944
M090823	MUF4S5944
M100465	MUF551044
P206282	XL40045
P206282	XL40045F

Donaldson Part Number	Road Choice Part Number
P206328	XR540
P206336	XT400
P206337	XT500
P206342	XL350F
P206344	XL400FC
P206345	XL400
P206346	XL400FNE
P206347	XL500F
P206348	XL500
P206354	XL500C
P206370	XCE500
P206374	XCO400
P206375	XCO500
P206382	XPA40048
P206384	XPA400C
P206385	XPA500C
P206386	XPA50048C
P206399	XL400SB
P206405	XGC250
P206407	XGC300
P206409	XGC350
P206410	XGC400
P206411	XGC500
P206507	XH100
P206509	XMK1750
P206511	XMK1790
P206512	XMK1710
P206554	FLX40018SS
P206555	FLX50018SS
P206602	XFC400
P206602	XSC400
P206603	XFC500
P206603	XSC500
P206603	XSC500
P206607	XVC501
P206611	XFC500C
P207329	XL400NE
P207331	XL512NE
P207339	XL512
P207345	XL400F
P207346	XL500FC
P207353	XL40045SR
P207364	XL400SR

Donaldson Part Number	Road Choice Part Number
P207365	XL500SR
P207667	XGC600
P208358	XPA50036
P208375	XPA50036C
P208386	XPA400
P208394	XPA50060
P208395	XPA50060C
P222748	XBC400
P224481	FLX50012G
P224481	FLX50018G
P226146	FLX400X10SS
P226147	FLX500X10SS
P270536	XRC300
P270539	XRC400
P270541	XRC500
P270543	XRC600
X007784	XBC400SS



ROAD CHOICE

© 2023 Road Choice – All Rights Reserved.
RCOEX-23CAT