

# BRAKE CHAMBER CATALOG



**ROAD CHOICE<sup>®</sup>**  
TRUCK PARTS



We are committed to keeping trucks on the road and moving forward by providing quality parts to all who repair heavy-duty vehicles.

**CONFIDENCE.**  
**COVERAGE.**  
**COMMITMENT.**

---

# TABLE OF CONTENTS

**BRAKE CHAMBERS** ..... 4

**TANDEM/COMBO CHAMBERS AND SPRING BRAKES** ..... 5

**CLEVIS KIT** ..... 5

**DOUBLE PIN WELDED YOKE** ..... 5

**PIGGYBACK REPLACEMENTS** ..... 6

**SERVICE CHAMBERS** ..... 6



**Parts that keep you moving.  
Quality that keeps you coming back.**

---


# ROAD CHOICE® BRAKE CHAMBERS

## DURABLE MAIN POWER SPRING:

- Produced from high-quality chrome-silicon steel wire
- Polymer coated for 400 hours of protection


## PROVEN AND TESTED DIAPHRAGMS:

- Tested for 1 million cycles
- High- and low-temperature tested
- Rubber-to-fabric adhesion tested
- Rubber abrasion tested




## ALUMINUM PARKING PRESSURE PLATE:

- Ensures proper engagement of manual caging bolt for safe handling
- Centers spring for consistent operation
- Provides positive stop to reduce coil contact
- Maintains performance over time and reduces force output sag loss
- Less susceptible to corrosion and diaphragm abrasion




## STEEL INTERNAL ROD AND ADVANCED SLOTTED CENTER SEAL DESIGN:

- Slotted center seal design improves alignment of moving parts and improves the robustness of this critical area
- Internal rod is treated and precision ground to provide lasting seal life
- Grade 8 counter-sunk push plate screws provide a positive resistance to loosening



# ROAD CHOICE® BRAKE CHAMBERS

## TANDEM/COMBO CHAMBERS AND SPRING BRAKES



SIZE	MODEL	WEIGHT	STROKE	DIM "A"	DIM "B"	DIM "C"	PART # W/O CLEVIS
3030	PS	20.10 lbs.	2.50"	9.5"	5.7"	8.3"	SB3030STD
3030	TRX - 12" Push Rod	20.10 lbs.	2.50"	9.5"	5.7"	8.3"	SB3030TRX
3030	PS-ELS	20.50 lbs.	3.00"	10.31"	5.7"	8.3"	SB3030LS
2430	PS	18.8 lbs.	2.50"	9.1"	5.7"	7.5"/8.3"	SB2430STD


## CLEVIS KIT

CLEVIS TYPE	DIM "A" END TO PIN	DIM "B" SLOT WIDTH	DIM "C" PIN DIAMETER	DIM "D" THREAD SIZE	PART NUMBER
Forged	1 - 3/4"	9/16"	1/2"	5/8" - 18	CK58



## DOUBLE PIN WELDED YOKE

SIZE	MODEL	WEIGHT	STROKE	DIM "A"	DIM "B"	DIM "C"	PART # W/O CLEVIS
3030	PS-ELS Welded Clevis	20.6 lbs.	3.00"	10.31"	5.7"	8.3"	SB3030LSW



"Y" Dimension = 2.25"

# ROAD CHOICE® BRAKE CHAMBERS

## PIGGYBACK REPLACEMENTS

### KIT INCLUDES:

- Piggyback
- Diaphragm
- Clamp Assembly



SIZE	MODEL	PIGGYBACK KIT #
3030	PS	PB3030K
3030	PS-ELS	PB3030LSK
2430	PB	PB2430STD

### LOW PROFILE DESIGN:

- Lower center of gravity and reduced weight mean less stress on mounting studs and axle brackets
- Slimmer rear profile provides less possibility for interference

## SERVICE CHAMBERS

Service chambers designed for heavy-duty operation and long life:

- Service pushrods - made from high strength steel - will not bend.  
Rod weld is capable of withstanding 45-degree bend test.
- Pushrod plate is thick enough to last one million cycles
- Return spring is pre-galvanized music wire



SIZE	MODEL	WEIGHT	STROKE	DIM "A"	DIM "B"	DIM "C"	PART # W/O CLEVIS
20	SC	7.76 lbs.	2.50"	3.8"	4.9"	7"	SC20
24	SC	8.38 lbs.	2.50"	4"	4.9"	7.5"	SC24
24	SC-ELS	8.7 lbs.	3.00"	4.4"	4.9"	7.5"	SC24LS
30	SC	10 lbs.	2.50"	4.1"	5.5"	8.3"	SC30
30	SC-ELS	10.05 lbs.	3.00"	4.4"	5.5"	8.2"	SC30LS

**ALL ROAD CHOICE BRAKE CHAMBERS FEATURE A THREE-YEAR, 300,000-MILE WARRANTY FOR GENERAL OVER-THE-HIGHWAY USE.**

\*See Road Choice warranty policy for details.



**ROAD CHOICE**<sup>®</sup>  
TRUCK PARTS

© 2019 Road Choice<sup>®</sup> Truck Parts – All Rights Reserved.  
RCOBKC-19CAT